"FROM START TO FINISH, ACCEPT NO SUBSTITUTES!"





WOOD | 2021 PUBLICATION

ABOUT TIMESAVERS

Timesavers manufactures some of the most powerful and efficient woodworking solutions in the industry. Our wood sanders and denibbing machines are fully customizable and can be equipped with a wide variety of different head types to automate almost any woodworking project. We understand that different projects and executions require different technology, and that's why we also offer a range of machine configurations and features (including head configurations, abrasive selection, etc.) to ensure that our wood sanders meet and exceed your expectations and demands. Make no mistake, nobody offers a wider selection of versatile and high-quality automated sanding solutions than Timesavers.

TIMESAVERS | PRODUCT SUMMARY



WOOD

TIMESAVERS IS THE LEADER IN WOOD SANDING MACHINERY

Timesavers has over 70 years of experience in manufacturing woodworking machinery. Our wood sanders are built with the automation of professional craftsmanship in mind, utilizing the best and most durable components to guarantee peerless performance and reliability. We understand full well that each woodworking project has unique requirements and specifications, and that's why we offer an extensive variety of head types and machine lines to match your needs. Timesavers will stop at nothing to ensure that you find the perfect machine for your application, saving you valuable time and increasing your bottom line in the process.

HEAD TYPES:

- 🕂 Knife Planer
- + Widebelt
- Segmented Polisher
- + Orbital
- Brush Machines
- + Rotary Brush
- Top/Bottom

MACHINE LINES:

- SpeedSander
- + 13 Series
- + 23 Series
- 33 Series
- 53 Series
- Yieldsaver
- Moulding Sander
- Distresser

LEGEND FOR WOOD HEADS:

- D ----- Drum
- C —— Combination
- P Planer
- Seg ---- Segmented
- Chev Chevron
- Cross Crossbelt
- RC —— Rotary Cup
- 0 Orbital
- B Brush
- P/P ——Top & Bottom Planer

Example

(DSegSeg is a 3 head unit with a Drum head - Segmented head – Segmented head configuration on the quote templates)





METAL

TIMESAVERS HAS A SOLUTION TO YOUR DEBURRING AND FINISHING NEEDS

Timesavers manufactures some of the most powerful and efficient metalworking solutions in the industry. Our metal sanders and deburring machines are fully customizable and can be equipped with a wide variety of different head types to automate almost any metalworking project. We understand that different projects and executions require different technology, and that's why we also offer a range of machine configurations and features (including head configurations, wet-vs-dry, abrasive selection, etc.) to ensure that our metal sanders meet and exceed your expectations and demands. Make no mistake, nobody offers a wider selection of versatile and high-quality automated sanding solutions than Timesavers.

| | ŀ |
|--|---------|
| | - (|
| | |
| | |
| | _ (|
| | - 6 |
| | |
| | |

HEAD TYPES:

- + Wet
- + Dry
- Wide Belt
- Brush
- Hammerhead

MACHINE LINES:

- Manual Grinder
- 11 Series
- 12 Series
- 22 Series
- Slag Grinder
- Hammerhead
- 32 Series
- 42 Series
- Rotary Brush
- Lynx Series
- Puma Series
- Dust Collection









APPLICATIONS

Timesavers has over 70 years of experience in manufacturing woodworking machinery. Our wood sanders are built with professional craftsmanship in mind, utilizing the best and most durable components to guarantee peerless performance and reliability. We understand full well that each woodworking project has unique requirements and specifications, and that's why we offer an extensive variety of sanders to match your needs. Timesavers will stop at nothing to ensure that you find the perfect machine for your application, saving you valuable time and increasing your bottom line in the process. Feel free to explore below to learn more about our outstanding wood solutions. We offer high-quality and affordable machinery for widebelt sanding & calibrating, orbital sanding, veneer & lacquer sanding, brush sanding, panel sanding, heavy stock removal and more.

- Heavy Stock Removal
- Panel Sanding
- Widebelt Sanding
- Orbital Sanding
- Veneer & Lacquer Sanding
- Brush Sanding

| 33 SERIES WIDEBELT | 33 SERIES SEGMENTED POLISHER | 33 SERIES ORBITAL | 53 SERIES | YIELDSAVER | MOULDING SANDER | ROTARY BRUSH | DUBOIS |
|--------------------------|---------------------------------------|-------------------------|--------------|------------|--------------------|-----------------|--------|

| Table of contents | | Heavy St | ock Remov Panel S | al anding Widebelt | Sanding & G | calibrating Sanding Venee | r & Lacquer S Brush S | anding Ganding |
|------------------------------|---------|----------|----------------------|--------------------------|-------------|---------------------------------|--------------------------|-------------------|
| SpeedSander | page 6 | | | Х | | | | |
| 13 Series | page 7 | | Х | Х | | | | |
| 23 Series Planer/Sander | page 8 | X | Х | X | | | | |
| 23 Series Widebelt | page 8 | | Х | Х | | | | |
| 23 Series Segmented Polisher | page 8 | | Х | Х | | Х | | |
| 23 Series Orbital | page 8 | | | Х | Х | | | |
| 33 Series Planer/Sander | page 10 | Х | Х | Х | | | | |
| 33 Series Widebelt | page 10 | | Х | Х | | | | |
| 33 Series Segmented Polisher | page 10 | | Х | Х | | Х | | |
| 33 Series Orbital | page 10 | | | Х | Х | | | |
| 53 Series | page 12 | Х | Х | Х | | | | |
| Yieldsaver | page 13 | Х | | | | | | |
| Moulding Sander | page 14 | | | | | Х | Х | |
| Rotary Brush | page 15 | | | | | | Х | |









SPEEDSANDER

A versatile sanding machine that uses a combination drum and platen head to improve the finish on wood, mitigate hand labor, and is a huge upgrade over the entry level drum sander. This model is designed for cabinetmakers, and woodworkers, making it ideal for a wide variety of small to medium-sized woodworking projects.

The Speedsander is our entry level sander designed for 1-3 man woodworking shops The abrasive media can be used for multiple applications, for example, the drum can be used for stock removal and the polishing platen can be used for fine finish sanding.

A-Frame design

The A -Frame design gives this machine the flexibility to move around on it's castors. The castors allow woodworkers to move this machine around the shop, giving them versatility when changing applications.

Ease of maintenance on belt changes compared to a lower cost drum sander

Equipped with electronic photo cell tracking which allows quick easy belt change in 1-2 minutes, with digital pad positioning indicator.

STANDARD VERSION:

- **1** 34"- 38" passline
- 1 configuration available (combination head)
- A/C Frequency-controlled drive
- Up to 10 HP main motor drive
- 230V motors

Specifications:

- Comes with castors
- UL Certified Pannel

Available configurations:

| Combination | Number of heads 1 | Abrasive belt length | 60" |
|-------------|-------------------------|----------------------|------------------------------------|
| | Head types Combination | Platen width | 1.5" |
| | Machine Widths 37", 43" | Number of bed jacks | 2 |
| | Bed opening 0-4" | Conveyor speed | 10-30 FPM A/C Frequency Controlled |
| | | Applications | Widebelt Sanding |



13 SERIES

A compact and dependable machine that features a number of standard options and can be equipped with up to three heads. Ideal for small to mid-sized woodworking shops.

The 13 Series is a light duty machine that can handle medium to high production

The 1300 series is a great machine for all types of entry level woodworking shops that need a machine with multiple heads, giving their product a desired finish. You can find this machine in many high schools and colleges in the US as it's a great teaching tool for those interested in the woodworking industry.

This machine can incorporate up to 3 heads in this standardized design

These machines are typically hand-fed, off-line machines so the customer is able to control the production level, to maintain a long lifespan.





STANDARD VERSION:

- Main motor load meters
- Go-to set-up device
- Through-beam abrasive belt tracking
- Infeed stop bar
- Frequency-controlled drive
- Side panels that can be adjusted with regard to height for personal protection and machining large parts.
- UL certified Pannel

| config | Availal uratio | | | Specifications: | | Specifications: | |
|--------|-------------------|-----|-----|-----------------|-------------------|----------------------|------------------------------------|
| D | 25" | 37" | 43" | Number of heads | 1-3 | Abrasive belt length | 60" |
| DD | 25" | 37" | 43" | Head types | Drum, Combination | Main Drive Motor | Up to 25 HP |
| DC | 25" | 37" | 43" | Machine widths | 25", 37", 43" | Contact Drum Diamter | 8" |
| DDD | | | 43" | Bed opening | 0-5" | Feed Speed | 15-45 fpm A/C frequency controlled |
| DDC | | | 43" | Power supply | 230/460v option | Applications | Panel Sanding, Widebelt Sanding |



23 SERIES MODELS: PLANER/SANDER, WIDE BELT, SEGMENTED POLISHER, ORBITAL

The 23 series is a great machine for all types of woodworking shops that need a machine with multiple heads, giving their product a desired finish. You can find these machines in all types of wood working production factories.



23 SERIES PLANER/SANDER

The planer/sanders with 1-2 insert knife cotter heads, followed by multiple sanding heads. They are used for rough glued up panels to final grit finish. The knife heads can be raised out of the cut so you can just use the sanding heads, if need be.

STANDARD VERSION:

- Go-to set-up device
- Through-beam abrasive belt tracking
- Frequency-controlled drive
- Auto pop-up & down on cutter head & sanding heads
- UL certified panel



23 SERIES WIDEBELT SANDER

The wide belt sanders are used in many different applications requiring sizing to a dimension and sanding to the required finish on the product being sanded.

STANDARD VERSION:

- Main motor load meters
- Go-to set-up device
- Through-beam abrasive belt tracking
- Infeed stop bar

- Frequency-controlled drive
- Auto pop-up & down on cutter heads and sanding heads
- UL certified panel



23 SERIES POLISHER

The polishers are sanders that have segments that raise and lower on the product being sanded. This allows the sander to follow thick and thin areas within a part or from part to part mainly used for veneer and sealer sanding.

STANDARD VERSION:

- Timesavers Simple Touch HMI
- Through-beam abrasive belt tracking
- Frequency-controlled drive
- Auto pop-up & down on sanding heads
- Industry 4.0 compatible
- UL certified panel



23 SERIES ORBITAL

Our orbital sanders are the final sanding to remove cross grain sanding marks. They are used just prior to the finishing application.

STANDARD VERSION:

- Go-to set-up device
- Through-beam abrasive belt tracking
- Infeed stop bar

- Frequency-controlled drive
- Auto pop-up & down on sanding heads
- UL certified panel



23 SERIES MODELS: SPECIFICATIONS

23 SERIES PLANER / SANDER / Available configurations:

| Р | 37" | 43" | 52" | | |
|------|-----|-----|-----|--------------------------------------|---|
| D | 37" | 43" | 52" | | |
| PC | 37" | 43" | 52" | Number of heads 1-4 | Abrasive belt length 75", 103" |
| PDD | 37" | 43" | 52" | Power supply 230/460v option | Main Drive Motor Up to 40 HP |
| PDC | 37" | 43" | 52" | Machine widths 37", 43", 52" | Knife Head Diameter 7" |
| PDDD | 37" | 43" | 52" | Bed opening 0-5" | Feed Speed 15-45 fpm A/C frequency controlled |
| PDDC | 37" | 43" | 52" | Head types Planer, Drum, Combination | Applications Stock Removal, Widebelt Sanding, |
| | | | | | Panel Sanding |

23 SERIES WIDEBELT SANDER / Available configurations:

| D | 37" | 43" | 52" | Number of heads 1-4 | Abrasive belt length 75", 103" |
|------|-----|-----|-----|--|---|
| DC | 37" | 43" | 52" | Power supply 230/460v option | Main Drive Motor Up to 30 HP |
| DDC | 37" | 43" | 52" | Machine widths 43", 52" | Contact Drum Diameter 8" |
| DDDC | 37" | 43" | 52" | Bed opening 0-5" | Feed Speed 15-45 fpm A/C frequency controlled |
| | | | | Head types Cross Belt drum, Combination, | Applications Widebelt Sanding, Panel Sanding |
| | | | | Dual-Action Segmented + | |
| | | | | Chevron | |

23 SERIES POLISHER / Available configurations:

| D | 37" | 43" | 52" | Number of heads 1-4 | Abrasive belt length 75" or 103" |
|------|-----|-----|-----|--------------------------------------|---|
| DC | 37" | 43" | 52" | Power supply 230/460v option | Main Drive Motor Up to 30 HP |
| DDC | 37" | 43" | 52" | Machine widths 37", 43", 52" | Contact Drum Diameter 8" |
| DDDC | 37" | 43" | 52" | Bed opening 0-5" | Feed Speed 15-45 fpm A/C frequency controlled |
| | | | | Head types Contact Drum, Combination | Applications Widebelt Sanding, Panel Sanding, |
| | | | | Head | Veneer & Laquer |

23 SERIES ORBITAL / Available configurations:

| 00 | 43" | 52" | Number of heads 2-4 | Abrasive belt length 75", 103" |
|-------|-----|-----|---|--|
| COO | 43" | 52" | Wide Belt Platen (7") / Orbital (8") | Main Drive Motor Up to 40 HP |
| 000 | 43" | 52" | Machine widths 43", 52" | Contact Drum Diameter 8" |
| C000 | | 52" | Bed opening 0-5" | Feed Speed 5-20 fpm A/C frequency controlled |
| COORC | | 52" | Head types Combination, Single Pad Orbital, | Applications Widebelt Sanding, Orbital Sanding |
| | | | Barrel Brush, Cup Brush | |



33 SERIES MODELS: PLANER/SANDER, WIDE BELT, SEGMENTED POLISHER, ORBITAL

The 33 Series machines are time-tested, with a workhorse design for maximum performance, with a competitive price to deliver outstanding value. Through years of customer feedback and experience, the 33 Series has evolved into a feature-packed industry benchmark for excellence. The 33 Series is built for long life, outstanding performance, and versatility to increase production and improve your bottom line.



33 SERIES PLANER/SANDER

The 33 series planer/sander is a time-tested machine with sectional in feed shoe and a combination of up to 4 high quality heads to excel with even the most demanding woodworking projects. Ideal for high production shops who demand robust, long lasting equipment

STANDARD VERSION:

- Timesavers HMI
- Industry 4.0 compatable
- Through-beam abrasive belt tracking
- Frequency-controlled drive
- Auto pop-up & down on sanding heads
- UL certified panel



33 SERIES WIDE BELT

The 33 series wide belt machine are time-tested, with a workhorse design for maximum performance, with a competitive price to deliver outstanding value. The 33 series is built for long life, outstanding performance, and versatility to increase production and improve your bottom line.

STANDARD VERSION:

- Timesavers HMI
- Industry 4.0 compatable
- Through-beam abrasive belt tracking
- Frequency-controlled drive
- Auto pop-up & down on cutter heads and sanding heads
- UL certified panel



33 SERIES SEGMENTED POLISHER

A dependable polisher that can be outfitted with up to four heads. Its versatility and durable design make it ideal for a wide range of woodworking projects, including veneer and lacquer sanding, panel sanding and wide belt sanding & calibrating.

STANDARD VERSION:

- Timesavers HMI
- Industry 4.0 compatable
- Through-beam abrasive belt tracking
- Frequency-controlled drive
- Auto pop-up & down on sanding heads
- UL certified panel



33 SERIES ORBITAL

A hardy model that features up to four drum, combination or orbital heads to speed up production processes and improve your bottom line. Ideal for orbital sanding in medium to large-sized cabinet, millwork and furniture plants.

STANDARD VERSION:

- Timesavers HMI
- Industry 4.0 compatible
- Through-beam abrasive belt tracking
- Frequency-controlled drive
- Auto pop-up & down on sanding heads
- UL certified panel



33 SERIES MODELS: SPECIFICATIONS

33 SERIES PLANER/SANDER / Available configurations:

| Р | Number of heads | 1-5 | Abrasive belt length | 75" or 103" |
|------|-----------------|--------------------------|----------------------|------------------------------------|
| PD | Power supply | 230/460v option | Main Drive Motor | Up to 75 HP |
| PCG | Machine widths | 37", 43", 52", 64" | Knife Head Diameter | 7"/11" |
| PDC | Bed opening | 0-6" | Feed Speed | 15-45 fpm A/C frequency controlled |
| PDDC | Head types | Planer Contact Drum | Applications | Widebelt Sanding, Panel Sanding, |
| | | Combination, Dual-Action | | Heavy Stock Removal |
| | | Segmented | | |

33 SERIES WIDEBELT / Available configurations:

| D | Number of heads 1-5 | Abrasive belt length 75" or 103" |
|------|---------------------------------------|---|
| DC | Power supply 230/460v option | Main Drive Motor Up to 75 HP |
| DDC | Machine widths 37", 43", 52", 64" | Contact Drum Diameter 7"/11" |
| DDDC | Bed opening 0-6" | Feed Speed 15-45 fpm A/C frequency controlled |
| | Head types Contact Drum, Combination, | Applications Widebelt Sanding, Panel Sanding |
| | Dual-Action Segmented | |

33 SERIES SEGMENTED POLISHER / Available configurations:

| DCS | Number of heads 1-5 | Abrasive belt length 75" or 103" |
|--------|--|---|
| DDCS | Power supply 230/460v option | Main Drive Motor Up to 40 HP |
| DCSCS | Machine widths 37", 43", 52" , 64" | Contact Drum Diameter 7"/ 11" |
| DDCSCS | Bed opening 0-6" | Feed Speed 15-45 fpm A/C frequency controlled |
| | Head types Cross Belt drum, Combination, | Applications Widebelt Sanding, Panel Sanding, |
| | Dual-Action Segmented | Veneer & Lacquer |

33 SERIES ORBITAL / Available configurations:

| 00 | Number of heads 1-4 | Abrasive belt length 75" or 103" |
|-------|--|---|
| COO | Power supply 230/460v option | Main Drive Motor Up to 40 HP |
| 000 | Machine widths 37", 43", 52", 64" | Contact Drum Diameter 7"/11" |
| C000 | Bed opening 0-6" | Feed Speed 15-45 fpm A/C frequency controlled |
| COORC | Head types Cross Belt drum, Combination, | Applications Widebelt Sanding, Orbital |
| | Dual-Action Segmented | |



53 SERIES

A massive machine that utilizes heavy, durable components for a long life of heavy use. Ideal for large-scale wide belt sanding and calibrating, heavy stock removal, panel sanding and veneer sanding during 24/7 operations.



Total custom manufactured

The 53 Series is a total custom manufactured machine. As shop production increases to 24/7 operations there is no one-size-fits-all machine. Our engineering team has the ability to customize the 53 Series to fit the exact needs of your shop, giving our customers the best overall product.



- Industry 4.0 compatible
- Product status LED bar
- Abrasive belt wear tracking
- Top & bottom configurations available
- Timesavers Simple Touch HMI/PLC Interface
- Motorized lift
- UL certified pannel

Available head types:



| Specifications: | | | | | | | | | |
|--|---|--------------------------|--------------|--|-----|--|-----|--|------|
| | | | 64" | | 52" | | 37" | | D |
| Widebelt, Combination, Planer | | Head types | 64" | | 52" | | 37" | | DC |
| 1 - 5 | Number of heads 1 - 5 | | 64" | | 52" | | 37" | | DD |
| Up to 125 HP motor | 54" Main drive motor Up to 125 HP motor | | 64" | | 52" | | 37" | | DDC |
| 15-60 fpm motor | | Feed speed | 64" | | 52" | | 37" | | DDD |
| 0-6" | | Table opening | 64" | | 52" | | 37" | | DDDC |
| 7"-11" | | djustable contact roller | 64" A | | 52" | | 37" | | DDDD |
| roller, brush, multi disc | | Head types | 64" | | 52" | | 37" | | PD |
| 37", 52", 64" | | Machine width | 64" | | 52" | | 37" | | PC |
| 75" 103" | | Abrasive belt length | 64" | | 52" | | 37" | | PDC |
| Widebelt Sander, Panel Sander, Heavy Stock Removal | | Applications | 64" | | 52" | | 37" | | PDDC |
| | | | | | | | | | |



YIELDSAVER

A powerful and compact model that effortlessly centers each board as it is being processed to optimize your team's production process. Ideal for small to mid-sized cabinet, millwork and furniture plants in need of a machine that produces high yields, top grades and a high-quality finish every single time.

Reduction of costs and increase of efficiency

Large scale wood production factories taking rough lumber from the dry kiln and produce a consumer product. The Timesavers Yieldsaver is still the top-of-the-line top and bottom knife & abrasive planer in the industry. The machine self-centers the board to get the most usable wood and doesn't split cupped boards, creating a much cleaner surface for the defector scanners. Our customers should expect yield savings between 3-5% on the wood itself, and also the rip optimization through scanners.

Ask for more information from your Timesavers' expert.

STANDARD VERSION:

Rigid frame installed on 4 synchronous spindles.

YIELDSAVER (2)

- Digital thickness set-up and reading in mm.
- Frequency controlled drive 50-220 fpm feed speed
- Automatic setting of the table height: 0.5"-6""
- Electronic oscillation
- Dust extraction
- U.L. Certified pannel
- Insert cutter board

APPLICATIONS AND BENEFITS:

- Industry leading self-centering planer. Self-centering infeed drive rolls w/ patent pending flexible core
- Anti-kickback safety assembly
- Sectional infeed shoes w/ innovative patent pending design 34"
- Constant passline

Available configurations:

| P/P | 24" | 32" Number of heads | 2 | Main Drive Motor | 75 & 100 HP per head |
|-----|-----|---------------------|----------|---------------------|-----------------------|
| | | Head types | Planer | Knife Head Diameter | 7" w/ Carbide Inserts |
| | | Machine width | 24", 32" | Feed Speed | 50-220 fpm |
| | | Machine opening | 0-6" | Applications | Heavy Stock Removal, |
| | | | | | |





MOULDING SANDER

This economic sanding and de-nibbing machine was engineered with small to medium-sized cabinet and furniture plants in mind. It's fully customizable head configurations and flexible strip abrasive design make this model ideal for any woodworking production involving brush sanding or veneer/lacquer sanding.



The Moulding Sander is designed with small to medium sized cabinet & furniture plants in mind

It requires minimal set up time when changing from one profile to another due to the flexible strip abrasives design. It also has UL certified components. This machine can change from a white wood sander into a sealer in just a few minutes. Fast, simple, and easy to operate.



OPTIONS FOR MS-12-4 OR MS-12-5:

- Timesavers HMI/PLC interface
- Ball screws

Available configurations:

| Abrasive Strip | Number of heads 2-7 | Main Drive Motor 3/4 - 3 HP Main Motor |
|----------------|------------------------------|--|
| Nylon | Power supply 230/460v option | Head types Abrasive Strip, Nylon, Wire Brush |
| Wire Brush | Machine widths 12" | Feed Speed 40-100 fpm A/C frequency controlled |
| | Bed opening 0-6" | Applications Brush Sanding, Veneer & Lacquer Sanding |
| | | |



ROTARY BRUSH

Timesavers' rotary brush machines eliminate the hassle and give you uncompromised speed, accuracy, and consistency to deliver better results. With rotary brushes, workpieces get pushed against rotating, reciprocating, or oscillating brushes to clear away flaws and produce a perfectly finished piece.

The Timesavers Rotary Brush was designed to suit the needs of all but the highest production woodworking plants.

Durable enough to perform long days of hard work, yet economical enough to meet almost any budget. The Rotary Brush is ideal for finish sanding, sealer sanding, and de-nibbing of three dimensional workpieces.



0

SETTES TO ST



STANDARD VERSION:

- Main motor load meters
- Go-to set-up device
- Hour meter
- Digital thickness display
- Motorized lift
- Infeed stop bar
- Double infeed/ outfeed hold down rolls
- UL certified panel

Available configurations:

| Brush | Number of heads 1-8 | Abrasive brush length Up to 12" x 12" or 20" x 20" |
|-------|------------------------------|--|
| | Power supply 230/460v option | Main Drive Motor 25 HP vacuum bed |
| | Machine widths 52", 64" | Brush Diamter Up to 12" |
| | Bed opening 0-6" | Feed Speed 10-30 fpm A/C frequency controlled |
| | Head types Brush | Applications Brush Sanding |
| | | |





Finishing equipment is a huge investment – Dubois Equipment understands that. When you invest in Dubois finishing systems, you can count on excellent performance and reliability. We build our finishing equipment to produce beautiful finishes while optimizing productivity to increase your profitability. Your system is built with widely available and accessible quality components. That means if one of your system components ever fails, you will not be down for long periods of time, waiting for a replacement. You also have the confidence of knowing your entire system will not have to be replaced because of an unavailable part.

FINISHING SYSTEMS

Dubois Equipment specializes in finishing systems and solutions for wood, metal, glass, and plastic. Our flat line finishing systems are developed to meet a wide range of process needs in a variety of industries, and include flat line finishing systems, spray finishing systems, and UV finishing systems. Applications include: flooring, cabinetry, paneling, siding, doors, specialty glass, plastics, extruded metal products, molding, and trim.

- Flat Line
 Spray
 UV
 Wood
 Metal
- Specialty



FINISHING EQUIPMENT

Dubois Equipment is the trusted source for a comprehensive selection of finishing equipment to meet a wide range of applications needs. Our finishing equipment provides finishing solutions for metal, wood, glass, and plastic. Applications include: flooring, cabinetry, paneling, siding, doors, specialty glass, plastics, extruded metal products, molding, and trim. We offer the broadest range of application processing and curing options, all designed and manufactured at one location, to be used in our finishing systems.

FINISHING EQUIPMENT:

- Curing Ovens
- 🛃 Edge Finishing
- Profile Sanders
- Roll Coating
- Scuff Sanding
- Spray Machine
- Stain Wiping
- Vacuum Coating
- Wire Brush Machine
- Other Finishing Equipment



Timesavers global sales team





TIMESAVERS INC

11123 89th Ave North Maple Grove, Minnesota USA T +763 488 6600 F +763 488 6601 info@timesaversinc.com www.timesaverinc.com

